

## Le CNCH au congrès de l'ESC 2013

Chers amis, chers collègues,

Le dynamisme de la recherche clinique dans les centres du CNCH, déjà soulignée dans le livre blanc, s'est à nouveau exprimé lors du congrès de la Société Européenne de Cardiologie qui s'est tenu à Amsterdam du 31 août au 4 septembre 2013.

Sur les 10 492 communications présentées, issues de 87 pays, 382 ont été soumises par des équipes françaises ; parmi elles 37 (10%) ont été le résultat direct de travaux menés par des centres du CNCH ou ont associé des centres du CNCH.

Au total, 77 cardiologues et 43 centres du CNCH ont ainsi été représentés (liste par centre et par auteur sur le site du CNCH : <http://www.cnch.eu/actualites-clinique/>).

Voici le recensement de ces travaux, regroupés selon quatre grands axes de recherche, avec les références vous permettant d'accéder au résumé sur le site de l'ESC (<http://spo.escardio.org/>). Un numéro précédé de la lettre P signale un poster.

Cette liste peut comporter des erreurs ou omissions, merci de me les signaler.  
Bien confraternellement et cordialement.

Pour le groupe Recherche Clinique du CNCH  
Jean-Louis Georges  
[jgeorges@ch-versailles.fr](mailto:jgeorges@ch-versailles.fr)

## **1. Les études multicentriques promues par le CNCH ou dans le cadre du CNCH :**

L'étude randomisée MIMI, présentée oralement par Loic Belle

### **1773. Deferred stenting in primary percutaneous coronary intervention: the Minimal Intervention for Myocardial Infarction (MIMI) study.**

L. Belle<sup>1</sup>, L. Mangin<sup>1</sup>, P. Motreff<sup>2</sup>, X. Marcaggi<sup>3</sup>, G. Range<sup>4</sup>, O. Dubreuil<sup>5</sup>, R. Dauphin<sup>6</sup>, K. Yayehd<sup>1</sup>, J.L. Bosson<sup>7</sup>, P. Croisille<sup>8</sup>, <sup>1</sup>Hospital of Annecy - Annecy - France, <sup>2</sup>University Hospital of Clermont-Ferrand - Clermont-Ferrand - France, <sup>3</sup>Hospital of Vichy - Vichy - France, <sup>4</sup>Hospital of Chartres - chartres - France, <sup>5</sup>Hospital Center St Joseph - St Luc - Lyon - France, <sup>6</sup>University Hospital of Lyon - Hospital of La Croix Rousse - Lyon - France, <sup>7</sup>University Hospital of Grenoble - Grenoble - France, <sup>8</sup>University Hospital of Saint-Etienne - Saint-Etienne - France.

L'enquête observationnelle RAY'ACT, qui a fait l'objet de deux posters présentées par Jean-Louis Georges :

### **P1261. Prevalence of high and very high radiation doses to patients during percutaneous coronary interventions.**

J.L. Georges<sup>1</sup>, L. Belle<sup>2</sup>, L. Orion<sup>3</sup>, S. Elhadad<sup>4</sup>, X. Marcaggi<sup>5</sup>, F. Funck<sup>6</sup>, F. Vinchon<sup>7</sup>, C. Maccia<sup>1</sup>, B. Livarek<sup>1</sup>, S. Cattan<sup>8</sup>  
<sup>1</sup>CH de Versailles - Le Chesnay - France, <sup>2</sup>CH d'Annecy and RENAU - Annecy - France, <sup>3</sup>CH de la Roche sur Yon - La Roche sur Yon - France, <sup>4</sup>CH de Lagny - Lagny - France, <sup>5</sup>CH de Vichy - Vichy - France, <sup>6</sup>CH René Dubos - Pontoise - France, <sup>7</sup>CH du Mans - Le Mans - France, <sup>8</sup>CHI - Montfermeil Le Raincy - France, Collège National des Cardiologues des Hôpitaux - Paris - France.

### **P5436. Is radial route associated with higher radiation doses to patient during percutaneous coronary interventions?**

J.L. Georges<sup>1</sup>, M. Hanssen<sup>2</sup>, J. Monsegu<sup>3</sup>, P. Goube<sup>4</sup>, B. Moquet<sup>5</sup>, T. Carreres<sup>6</sup>, S. Werquin<sup>7</sup>, A. Akesbi<sup>8</sup>, L. Belle<sup>9</sup>, S. Cattan<sup>10</sup>  
<sup>1</sup>CH de Versailles - Le Chesnay - France, <sup>2</sup>CH d'Hagenau - Hagenau - France, <sup>3</sup>HIA Val de Grâce - Paris - France, <sup>4</sup>CH Sud Francilien - Evry-Corbeil - France, <sup>5</sup>CH de Saint Brieuc - France, <sup>6</sup>CH d'Argenteuil - Argenteuil - France, <sup>7</sup>CH de Dunkerke - France, <sup>8</sup>CH d'Eaubonne Montmorency - Eaubonne 6 France, <sup>9</sup>CH d'Annecy - Annecy - France, <sup>10</sup>CHI - Montfermeil Le Raincy - France et Collège National des Cardiologues des Hôpitaux - Paris - France

Le travail de Walid Amara et du groupe de rythmologie, présenté en poster par Karim Gacem du CH de Chollet :

### **P5635. Pacemakers patients perception of daily life activities and follow-up: a French survey.**

W. Amara<sup>1</sup>, S. Cheggour<sup>2</sup>, H. Salih<sup>1</sup>, A. Elhraiech<sup>1</sup>, J. Taieb<sup>3</sup>, G. Glerici<sup>1</sup>, F. Ghanem<sup>4</sup>, A. Dompini<sup>5</sup>, B. Lahitton<sup>6</sup>, K. Gacem<sup>1</sup>, <sup>1</sup>GHI Le Raincy-Montfermeil - Montfermeil - France, <sup>2</sup>Avignon Hospital Center - Avignon - France, <sup>3</sup>General Hospital of Aix en Provence - Aix en Provence - France, <sup>4</sup>General Hospital - Chateauroux - France, <sup>5</sup>Hospital of Annecy - Annecy - France, <sup>6</sup>Hospital of Dax - Dax - France

## **2. Les études mono ou bicentriques réalisées par les centres du CNCH :**

Les CH d'Antibes et d'Avignon :

### **P2055. Prevalence, predictors and outcomes of coronary artery spasm during dobutamine stress echocardiography in patients without known coronary disease.**

F. Aboukhoudir<sup>1</sup>, S. Rekik<sup>2</sup>, <sup>1</sup>avignon hospital center - avignon - France, <sup>2</sup>Hospital La Fontonne - Antibes - France

Le Centre Chirurgical Marie Lannelongue, le Plessis Robinson :

### **P3920. Analysis of residual thrombotic burden after thrombus aspiration in acute myocardial infarction: an optical coherence tomographic evaluation.**

S. Hammam<sup>1</sup>, C. Caussin<sup>1</sup>, C. Hurt<sup>1</sup>, S. Fradi<sup>1</sup>, S. Ghostine<sup>1</sup>, N. Amabile<sup>1</sup>, <sup>1</sup>Marie Lannelongue Hospital, Department of Cardiology - Le Plessis-Robinson - France

P3949. Intra-coronary thrombus evolution during acute coronary syndrome: regression assessment by serial optical coherence tomography analyses.

N. Amabile<sup>1</sup>, S. Hammam<sup>1</sup>, A. Veugeois<sup>1</sup>, C. Caussin<sup>1</sup>, <sup>1</sup>Marie Lannelongue Hospital, Department of Cardiology - Le Plessis-Robinson - France

3739. Microparticles (Communication orale de Nicolas Amabile, expert invité à un symposium ESC intitulé « Emerging markers for cardiovascular prevention »)

Nicolas AMABILE (Le Plessis Robinson, FR)

Le CH de Montreuil :

P3952. CathLab procedures change induce great improvements in radiation safety for patients and healthcare professionals.

J. Abtan<sup>1</sup>, M. Kerneis<sup>1</sup>, A. Boccara<sup>1</sup>, A. Chaib<sup>1</sup>, L. Payot<sup>1</sup>, S. Sayah<sup>1</sup>, S. Alperin<sup>1</sup>, S. Passefort<sup>1</sup>, A. Koubbi<sup>1</sup>, R. Gryman<sup>1</sup>, <sup>1</sup>CHI Andre Gregoire - Montreuil - France

Le CH de Pontoise et le GHI Le Raincy-Montfermeil

P5577. Transient atrioventricular block associated with sickle cell disease : a French survey.

P.H. Gacon<sup>1</sup>, A. Elhraiech<sup>2</sup>, P. Jourdain<sup>3</sup>, N. Heba<sup>1</sup>, W. Amara<sup>2</sup>, <sup>1</sup>University Hospital Center (CHU) Dijon - Dijon - France, <sup>2</sup>GHI Le Raincy-Montfermeil - Montfermeil - France, <sup>3</sup>Rene Dubos Hospital Center, Department of Cardiology - Pontoise - France

Le CH de Versailles :

P4707. Assessment of coronary bypass graft patency by first-line multi-slice computed tomography analysis: a valuable strategy?

D. Pesenti-Rossi<sup>1</sup>, J.L. Georges<sup>1</sup>, N. Baron<sup>1</sup>, S. Augusto<sup>1</sup>, B. Livarek<sup>1</sup>, <sup>1</sup>Hospital - Versailles - France

Le CH d'Annecy (avec le Service de Blida en Algérie)

28. Delayed stenting compared with immediate stenting in patients with ST-segment elevation myocardial infarction.

M. Chettibi<sup>1</sup>, K. Yayehd<sup>2</sup>, C. Ricard<sup>2</sup>, A. Ghorab<sup>1</sup>, M. Bouraghda<sup>1</sup>, S. Bertal<sup>1</sup>, R. Nedjar<sup>1</sup>, M.A. Bouzid<sup>1</sup>, M.T. Bouafia<sup>1</sup>, L. Belle<sup>2</sup>, <sup>1</sup>University Hospital of Frantz Fanon - Blida - Algeria, <sup>2</sup>Hospital of Annecy - Annecy - France.

### 3. *Les études menées en partenariat avec un CHU :*

Collaboration CHU Nice - CH Antibes

P1142. Prevalence of patent foramen ovale and stroke in pulmonary embolism patients

O. Chiche<sup>1</sup>, M. Castellani<sup>2</sup>, D. Doyen<sup>1</sup>, P. Mocerit<sup>1</sup>, D. Baudouy<sup>1</sup>, R. Saady<sup>1</sup>, P. Cerboni<sup>1</sup>, E. Ferrari<sup>1</sup>, <sup>1</sup>University Hospital of Nice - Hospital Pasteur - Nice - France, <sup>2</sup>Hospital La Fontonne - Antibes - France

Collaboration CHU Amiens - CH Saint Quentin

P1533. Coronary artery disease and mode of death in heart failure with preserved and with reduced ejection fraction - a prospective 10-year study.

D. Rusinaru<sup>1</sup>, M. Peltier<sup>2</sup>, D. Houpe<sup>1</sup>, L. Leborgne<sup>2</sup>, C. Tribouilloy<sup>2</sup>, <sup>1</sup>Centre Hospitalier de Saint Quentin - Saint Quentin - France, <sup>2</sup>Amiens University Hospital - Hospital Sud - Amiens - France

Collaboration CHU Rennes - CH Lorient

P2984. Very late effects of dual chamber pacing therapy for obstructive, hypertrophic cardiomyopathy.

A. Lucon<sup>1</sup>, L. Palud<sup>2</sup>, D. Pavin<sup>1</sup>, E. Donal<sup>1</sup>, N. Behar<sup>1</sup>, C. Leclercq<sup>1</sup>, P. Mabo<sup>1</sup>, J.C. Daubert<sup>1</sup>, <sup>1</sup>CHU Rennes, University Rennes 1 - Rennes - France, <sup>2</sup>Hospital of Lorient, Department of Cardiology - Lorient - France

#### Collaboration AP-HM/CHU Marseille - IMM Paris

##### P490. Significant decrease of pulmonary veins activity by stand-alone atrial-substrate ablation strategy in persistent atrial fibrillation.

J. Seitz<sup>1</sup>, C. Bars<sup>2</sup>, A. Maluski<sup>1</sup>, G. Penaranda<sup>1</sup>, J. Faure<sup>1</sup>, M. Bremond<sup>1</sup>, A. Ferracci<sup>1</sup>, L. Curel<sup>1</sup>, A. Pisapia<sup>1</sup>, <sup>1</sup>St. Joseph Hospital - Marseille - France, <sup>2</sup>Private Hospital Institute Mutualiste Montsouris - Paris - France

#### Collaboration AP-HP/CHU Paris - CH Blois et CH Pontoise

##### P4211. BNP usefulness in very elderly dyspneic patients. The BED Study

M. Plichart<sup>1</sup>, G. Orvoen<sup>1</sup>, P. Jourdain<sup>2</sup>, M. Escande<sup>3</sup>, P. Friocourt<sup>4</sup>, J. Coste<sup>5</sup>, L. Quinquis<sup>5</sup>, F.X. Chedhomme<sup>1</sup>, J.S. Vidal<sup>1</sup>, O. Hanon<sup>1</sup>, <sup>1</sup>AP-HP - Hospital Broca - Paris - France, <sup>2</sup>Rene Dubos Hospital Center, Department of Cardiology - Pontoise - France, <sup>3</sup>Clinic Vert Coteau - Marseille - France, <sup>4</sup>Hospital - Blois - France, <sup>5</sup>AP-HP - Hospital Hotel-Dieu - Paris - France

#### Collaboration CHU Paris, Lyon, Marseille – CH Antibes

##### P4846. Clopidogrel pretreatment effect according to the clinical presentation in patients undergoing percutaneous coronary intervention: a meta-analysis.

A. Bellemain-Appaix<sup>1</sup>, S. O'Connor<sup>2</sup>, J. Silvain<sup>2</sup>, M. Cucherat<sup>3</sup>, F. Beygui<sup>4</sup>, O. Barthelemy<sup>2</sup>, J.-P. Collet<sup>2</sup>, L. Jacq<sup>1</sup>, F. Bernasconi<sup>1</sup>, G. Montalescot<sup>2</sup>, <sup>1</sup>Hospital La Fontonne - Antibes - France, <sup>2</sup>AP-HP - Hospital Pitie-Salpetriere - Paris - France, <sup>3</sup>University Hospital of Lyon - Hospital Louis Pradel - Lyon - France, <sup>4</sup>CHU de Caen, Universit#x00E9; Caen Basse-Normandie EA4650, Department of Cardiology - Caen - France

#### Collaboration AP-HP/CHU Paris – CCML Le Plessis Robinson

##### 1720. Long-term outcomes after heart transplantation in adult patients with cardiac congenital heart disease: impact of initial defect and repair: a collaborative study on 97 patients.

S. Cohen<sup>1</sup>, L. Houyel<sup>2</sup>, R. Guillemin<sup>3</sup>, S. Varnous<sup>4</sup>, J.L. Golmard<sup>5</sup>, L. Iserin<sup>1</sup>, <sup>1</sup>AP-HP - European Hospital Georges Pompidou, Department of Cardiology - Paris - France, <sup>2</sup>Surgery Center Marie-Lannelongue - Le Plessis-Robinson - France, <sup>3</sup>AP-HP - European Hospital Georges Pompidou, Department of Cardiac Surgery - Paris - France, <sup>4</sup>AP-HP - Hospital Pitie-Salpetriere, Department of Cardiovascular Surgery - Paris - France, <sup>5</sup>AP-HP - Hospital Pitie-Salpetriere, Department of Biostatistics - Paris - France

#### Collaboration AP-HP-INSERM / HIA Val de Grâce

##### P4854. Reversal of anticoagulant effects of apixaban with non-specific prohaemostatic agents: an in vitro study

A.C. Martin<sup>1</sup>, B. Le Bonniec<sup>2</sup>, C.M. Samama<sup>3</sup>, A.M. Fischer<sup>4</sup>, A. Godier<sup>3</sup>, <sup>1</sup>Military Hospital (HIA) Val de Grace - Paris - France, <sup>2</sup>Inserm U765 - Paris Descartes University - Paris - France, <sup>3</sup>AP-HP - Hospital Cochin, Paris Descartes University - Paris - France, <sup>4</sup>AP-HP - European Hospital Georges Pompidou - Paris - France,

#### 4. *Les essais et les registres multicentriques auxquels ont activement participe les centres du CNCH :*

#### Essai ARCTIC

##### P4819. Higher on-treatment platelet reactivity and more bleeding complications in the elderly: insight from the ARCTIC study.

G. Cayla<sup>1</sup>, J.P. Collet<sup>2</sup>, C. Pouillot<sup>3</sup>, Z. Boueri<sup>4</sup>, T. Cuisset<sup>5</sup>, S. Elhadad<sup>6</sup>, E. Van Belle<sup>7</sup>, J. Silvain<sup>2</sup>, E. Vicaut<sup>8</sup>, G. Montalescot<sup>2</sup>, <sup>1</sup>University Hospital of Nimes, Department of Cardiology - Nimes - France, <sup>2</sup>AP-HP - Hospital Pitie-Salpetriere - Paris - France, <sup>3</sup>Clinic Sainte Clothilde - Sainte Clothilde - Reunion, <sup>4</sup>CH Bastia - Bastia - France, <sup>5</sup>AP-HM - Hospital La Timone - Marseille - France, <sup>6</sup>Hospital of Lagny - Marne-la-Vallee - Lagny sur Marne - France, <sup>7</sup>Hospital Regional University of Lille - Cardiological Hospital - Lille - France, <sup>8</sup>Hopital Lariboisiere, Unite de Recherche Clinique - Paris - France

##### P4844. High on-treatment platelet reactivity, a marker of bleeding risk? An analysis of the ARCTIC study.

J.-P. Collet<sup>1</sup>, G. Cayla<sup>2</sup>, L. Belle<sup>3</sup>, C. Pouillot<sup>4</sup>, Z. Boueri<sup>5</sup>, T. Cuisset<sup>6</sup>, S. Elhadad<sup>7</sup>, J. Silvain<sup>1</sup>, E. Vicaut<sup>8</sup>, G. Montalescot<sup>1</sup>, <sup>1</sup>AP-HP - Hospital Pitie-Salpetriere - Paris - France, <sup>2</sup>CHU Car#x00E9;meau - Nîmes - France, <sup>3</sup>CH de la Region d'Annecy - Annecy - France, <sup>4</sup>Clinic Sainte Clothilde - Sainte Clothilde - Reunion, <sup>5</sup>CH Bastia - Bastia - France, <sup>6</sup>AP-HM - Hospital La Timone - Marseille - France, <sup>7</sup>Hospital of Lagny - Marne-la-Vallee - Lagny sur Marne - France, <sup>8</sup>Hopital Lariboisiere, Unite de Recherche Clinique - Paris - France

**P4853. Impact of dual non-responsiveness to aspirin and clopidogrel on clinical outcomes in patients treated with drug-eluting stents in the ARCTIC study.**

T. Cuisset<sup>1</sup>, J. Silvain<sup>2</sup>, G. Cayla<sup>3</sup>, P. Motreff<sup>4</sup>, D. Carrie<sup>5</sup>, Z. Boueri<sup>6</sup>, E. Van Belle<sup>7</sup>, E. Vicaut<sup>8</sup>, J.P. Collet<sup>2</sup>, G. Montalescot<sup>2</sup>, <sup>1</sup>AP-HM - Hospital La Timone - Marseille - France, <sup>2</sup>AP-HP - Hospital Pitie-Salpetriere - Paris - France, <sup>3</sup>University Hospital of Nimes, Department of Cardiology - Nimes - France, <sup>4</sup>University Hospital of Clermont-Ferrand, Department of Cardiology - Clermont-Ferrand - France, <sup>5</sup>University Hospital of Toulouse - Ranguel Hospital, Department of Cardiology - Toulouse - France, <sup>6</sup>Dpt of Cardiology - Bastia - France, <sup>7</sup>Hospital Regional University of Lille - Cardiological Hospital, Department of Cardiology - Lille - France, <sup>8</sup>AP-HP - Hospital Lariboisiere, Clinical Research Unit - Paris - France

**P4876. Platelet function testing to adjust antiplatelet therapy for elective coronary stenting: a landmark analysis of the ARCTIC trial.**

G. Montalescot<sup>1</sup>, G. Range<sup>2</sup>, L. Belle<sup>3</sup>, C. Pouillot<sup>4</sup>, Z. Boueri<sup>5</sup>, G. Cayla<sup>6</sup>, E. Van Belle<sup>7</sup>, J. Silvain<sup>1</sup>, E. Vicaut<sup>8</sup>, J.P. Collet<sup>1</sup>, <sup>1</sup>AP-HP - Hospital Pitie-Salpetriere - Paris - France, <sup>2</sup>Chartres Hospitals - Hospital Louis Pasteur, Department of Cardiology - Chartres - France, <sup>3</sup>CH de la Region d'Annecy - Annecy - France, <sup>4</sup>Clinic Sainte Clothilde - Sainte Clothilde - Reunion, <sup>5</sup>CH Bastia - Bastia - France, <sup>6</sup>CHU Carmeau - Nimes - France, <sup>7</sup>Hospital Regional University of Lille - Cardiological Hospital - Lille - France, <sup>8</sup>Hopital Lariboisiere, Unite de Recherche Clinique - Paris - France

**Essai OTELLO**

**P1246. An observational, prospective, non-randomized multicenter study on the use of long TAXUS Element stents in long coronary lesions. Primary endpoint report of the OTELLO trial.**

L. Leval<sup>1</sup>, N. Dumonteil<sup>2</sup>, V. Stratiev<sup>3</sup>, G. Lapeyre<sup>4</sup>, C. Caussin<sup>5</sup>, P. Ohlmann<sup>6</sup>, Z. Boueri<sup>7</sup>, R. Levy<sup>8</sup>, J. Rischner<sup>1</sup>, M.C. Morice<sup>9</sup>, <sup>1</sup>Hospital Albert Schweitzer - Colmar - France, <sup>2</sup>University Hospital of Toulouse - Ranguel Hospital - Toulouse - France, <sup>3</sup>CCN - Clinique Cardiologique du Nord - St Denis - France, <sup>4</sup>Hospital Center of Albi - Albi - France, <sup>5</sup>Marie Lannelongue Hospital, Department of Cardiology - Le Plessis-Robinson - France, <sup>6</sup>University Hospital of Strasbourg, Department of Cardiology - Strasbourg - France, <sup>7</sup>Centre Hospitalier - Bastia - France, <sup>8</sup>Clinique St-Martin - Pessac - France, <sup>9</sup>CERC - Massy - France

**Registre FAST-MI 2005**

**1948. Long-term prognostic impact of body mass index and waist circumference in hospital survivors of acute myocardial infarction. Data from the French FAST-MI 2005 registry**

N. Danchin<sup>1</sup>, E. Puymirat<sup>2</sup>, M. Zeller<sup>3</sup>, P.G. Steg<sup>3</sup>, J. Machecourt<sup>4</sup>, N. Delarche<sup>5</sup>, P.V. Ennezat<sup>6</sup>, F. Schiele<sup>7</sup>, J. Ferrieres<sup>8</sup>, T. Simon<sup>9</sup>, <sup>1</sup>AP-HP - European Hospital Georges Pompidou - Paris - France, <sup>2</sup>University Hospital Center (CHU) Dijon - Dijon - France, <sup>3</sup>AP-HP - Hospital Bichat-Claude Bernard, Department of Cardiology - Paris - France, <sup>4</sup>CHU - Grenoble - France, <sup>5</sup>Hospital Francois Mitterand - Pau - France, <sup>6</sup>Eaux-Clares Clinic - Grenoble - France, <sup>7</sup>University Hospital of Besancon - Hospital Jean Minjoz, Department of Cardiology - Besancon - France, <sup>8</sup>University Hospital of Toulouse - Toulouse - France, <sup>9</sup>AP-HP - Hospital Saint Antoine, Clinical Research Unit (URC) - Est - Paris - France

**3517. Patients discharged with high heart rate after acute myocardial infarction are at increased risk of death over the first year: Five-year follow-up from the FAST-MI 2005 registry**

M.F. Seronde<sup>1</sup>, R. Chopard<sup>1</sup>, R. Geha<sup>2</sup>, G. Traisnel<sup>3</sup>, R. Koning<sup>4</sup>, S. Janin<sup>1</sup>, N. Meneveau<sup>1</sup>, T. Simon<sup>5</sup>, N. Danchin<sup>6</sup>, F. Schiele<sup>1</sup>, <sup>1</sup>University Hospital of Besancon - Besancon - France, <sup>2</sup>CHI Robert Ballanger - Aulnay - France, <sup>3</sup>Policlinic Du Bois - Lille - France, <sup>4</sup>Clinic Saint-Hilaire - Rouen - France, <sup>5</sup>AP-HP - Hospital Saint-Antoine, Faculty of Medicine Pierre & Marie Curie Paris 6 - Paris - France, <sup>6</sup>AP-HP - European Hospital Georges Pompidou, Department of Cardiology - Paris - France

**P414. Blood transfusion per se does not impact survival in AMI patients. A propensity-score analysis from the French FAST-MI 2005 registry**

G. Ducrocq<sup>1</sup>, E. Puymirat<sup>2</sup>, N. Danchin<sup>2</sup>, P. Henry<sup>3</sup>, M. Martelet<sup>4</sup>, P.V. Ennezat<sup>5</sup>, F. Schiele<sup>6</sup>, P.G. Steg<sup>1</sup>, J. Ferrieres<sup>7</sup>, T. Simon<sup>8</sup>, <sup>1</sup>AP-HP - Hospital Bichat-Claude Bernard, Department of Cardiology - Paris - France, <sup>2</sup>AP-HP - European Hospital Georges Pompidou - Paris - France, <sup>3</sup>AP-HP - Hospital Lariboisiere, Department of Cardiology - Paris - France, <sup>4</sup>General Hospital Langres - Langres - France, <sup>5</sup>Eaux-Clares Clinic - Grenoble - France, <sup>6</sup>University Hospital of Besancon - Besancon - France, <sup>7</sup>University Hospital of Toulouse - Toulouse - France, <sup>8</sup>AP-HP - Hospital Saint Antoine - Paris - France

**P922. Renal insufficiency impacts on early and late mortality after acute coronary syndrome after adjustment for comorbidities and management. Insights from the FAST MI 2005 registry**

N. Meneveau<sup>1</sup>, E. Puymirat<sup>2</sup>, S. Allam<sup>3</sup>, R.G. Huguet<sup>4</sup>, F. Schiele<sup>1</sup>, J. Ferrieres<sup>5</sup>, T. Simon<sup>6</sup>, N. Danchin<sup>2</sup>,  
<sup>1</sup>University Hospital of Besancon - Hospital Jean Minjoz - Besancon - France, <sup>2</sup>AP-HP - European Hospital Georges Pompidou, Department of Cardiology - Paris - France, <sup>3</sup>Centre Hospitalier - Verdun - France, <sup>4</sup>Clinic La Reine Blanche - Orleans - France, <sup>5</sup>University Hospital of Toulouse - Ranguel Hospital - Toulouse - France, <sup>6</sup>AP-HP - Hospital Saint-Antoine, Faculty of Medicine Pierre & Marie Curie Paris 6 - Paris - France

**P1303. Preponderant role of reduced early mortality in the reduction of one-year mortality in STEMI from 1995 to 2010: data from 4 French nationwide surveys over 15 years**

E. Puymirat<sup>1</sup>, N. Danchin<sup>1</sup>, P.G. Steg<sup>2</sup>, D. Blanchard<sup>3</sup>, P. Gueret<sup>4</sup>, S. Cattan<sup>5</sup>, J.P. Cambou<sup>6</sup>, J. Ferrieres<sup>6</sup>, T. Simon<sup>7</sup>,  
<sup>1</sup>AP-HP - European Hospital Georges Pompidou - Paris - France, <sup>2</sup>AP-HP - Hospital Bichat-Claude Bernard, Department of Cardiology - Paris - France, <sup>3</sup>Clinic Saint Gatien - Tours - France, <sup>4</sup>AP-HP - University Hospital Henri Mondor - Creteil - France, <sup>5</sup>GHI Le Raincy-Montfermeil - Montfermeil - France, <sup>6</sup>University Hospital of Toulouse - Toulouse - France, <sup>7</sup>AP-HP - Hospital Saint Antoine, Clinical Research Unit (URC) - Est - Paris - France

**P1319. In-hospital outcomes and long-term mortality according to gender and management strategy in acute myocardial infarction. Insights from the FAST-MI 2005**

**Registry**

T. Simon<sup>1</sup>, M. Donataggio<sup>2</sup>, E. Puymirat<sup>2</sup>, G. Steg<sup>3</sup>, H. Eltchaninoff<sup>4</sup>, S. Charpentier<sup>5</sup>, S. Weber<sup>6</sup>, D. Vilarem<sup>7</sup>, J. Ferrieres<sup>8</sup>, N. Danchin<sup>2</sup>,  
<sup>1</sup>AP-HP - Hospital Saint-Antoine, Faculty of Medicine Pierre & Marie Curie Paris 6 - Paris - France, <sup>2</sup>AP-HP - European Hospital Georges Pompidou - Paris - France, <sup>3</sup>AP-HP - Hospital Bichat-Claude Bernard - Paris - France, <sup>4</sup>Hopital Charles Nicolle, Department of Cardiology - Rouen - France, <sup>5</sup>Purpan University Hospital, Emergency Department, - Toulouse - France, <sup>6</sup>AP-HP - Hospital Cochin, Department of Cardiology - Paris - France, <sup>7</sup>Valenciennes General Hospital, Department of Cardiology - Valenciennes - France, <sup>8</sup>Inserm UMR 1027, University of Toulouse - Toulouse - France

**P3112. Impact of chronic obstructive pulmonary disease on early and late mortality in patients after an acute myocardial infarction. Insights from FAST-MI 2005 registry**

F. Schiele<sup>1</sup>, E. Puymirat<sup>2</sup>, S. Cattan<sup>3</sup>, F.X. Soto<sup>4</sup>, P. Henry<sup>5</sup>, B. Livarek<sup>6</sup>, D. Blanchard<sup>7</sup>, J. Ferrieres<sup>8</sup>, T. Simon<sup>9</sup>, N. Danchin<sup>2</sup>,  
<sup>1</sup>University Hospital of Besancon - Besancon - France, <sup>2</sup>AP-HP - European Hospital Georges Pompidou, Department of Cardiology - Paris - France, <sup>3</sup>GHI Le Raincy-Montfermeil - Montfermeil - France, <sup>4</sup>Centre Hospitalier - Auxerre - France, <sup>5</sup>AP-HP - Hospital Lariboisiere - Paris - France, <sup>6</sup>Centre Hospitalier - Versailles - France, <sup>7</sup>Clinic Saint Gatien - Tours - France, <sup>8</sup>University Hospital of Toulouse - Ranguel Hospital - Toulouse - France, <sup>9</sup>AP-HP - Hospital Saint-Antoine, Faculty of Medicine Pierre & Marie Curie Paris 6 - Paris - France

**P3643. Cardiac rehabilitation and five-year mortality after an acute coronary syndrome: the 2005 French FAST-MI registry**

M. Pouche<sup>1</sup>, J.B. Ruidavets<sup>2</sup>, M.C. Iliou<sup>3</sup>, H. Douard<sup>4</sup>, L. Lorgis<sup>5</sup>, P. Brunel<sup>6</sup>, E.H. Saadouni<sup>7</sup>, T. Simon<sup>8</sup>, J. Ferrieres<sup>9</sup>, N. Danchin<sup>10</sup>,  
<sup>1</sup>University Hospital of Toulouse - Ranguel Hospital, Department of Cardiology - Toulouse - France, <sup>2</sup>University Hospital of Toulouse, Department of Epidemiology, Inserm UMR1027 - Toulouse - France, <sup>3</sup>Service de Réadaptation Cardiaque, Hopital Corentin Celton (AP-HP) - Issy les Moulineaux - France, <sup>4</sup>University Hospital of Bordeaux - Hospital Haut Leveque, Departement of Cardiology - Bordeaux-Pessac - France, <sup>5</sup>Service de Cardiologie, University Hospital of Dijon (CHU), Hopital Du Bocage - Dijon - France, <sup>6</sup>Unité; de Soins et de Cardiologie Interventionnelle, Nouvelles Cliniques Nantaises - Nantes - France, <sup>7</sup>Department of Cardiology and Vascular Medicine, Saint-Omer Regional Hospital - Helfaut - France, <sup>8</sup>Department of Pharmacology, AP-HP, Hospital Saint-Antoine - Paris - France, <sup>9</sup>University Hospital of Toulouse - Ranguel Hospital, Department of Cardiology B - Toulouse - France, <sup>10</sup>AP-HP - European Hospital Georges Pompidou, Department of Cardiology - Paris - France

**P4299. Prevalence, clinical profile and 3-year outcomes of acute myocardial infarction patients with and without obstructive coronary lesions: the FAST-MI 2005 registry**

R. Andre<sup>1</sup>, M. Elbaz<sup>2</sup>, T. Simon<sup>3</sup>, E. Puymirat<sup>4</sup>, P.V. Ennezat<sup>5</sup>, P. Ohlmann<sup>6</sup>, V. Probst<sup>7</sup>, B. Peltier<sup>8</sup>, J. Ferrieres<sup>2</sup>, N. Danchin<sup>4</sup>,  
<sup>1</sup>University Hospital of Toulouse - Ranguel Hospital, Department of Cardiology - Toulouse - France, <sup>2</sup>University Hospital of Toulouse - Ranguel Hospital, Department of Cardiology B - Toulouse - France, <sup>3</sup>Department of Pharmacology, Hospital Saint Antoine (AP-HP) - Paris - France, <sup>4</sup>AP-HP - European Hospital Georges Pompidou, Department of Cardiology - Paris - France, <sup>5</sup>Department of Cardiology, Eaux-Clares Clinic - Grenoble - France, <sup>6</sup>Department of cardiovascular surgery, Strasbourg University Hospital, Civil Hospital - Strasbourg - France, <sup>7</sup>Department of Cardiology, University Hospital of Nantes - Nantes - France, <sup>8</sup>Department of Cardiology, Regional

Hospital of Ploërmel - Ploërmel - France

**Registre ORBI (observatoire Régional Breton des Infarctus) :**

**P2237. Gender differences in presentation, management and intra hospital outcome in patients with ST-elevation myocardial infarction. Data from 5000 patients in ORBI, a prospective French registry.**

G. Laurent<sup>1</sup>, V. Auffret<sup>1</sup>, J.P. Hacot<sup>2</sup>, B. Moquet<sup>3</sup>, P. Druelles<sup>4</sup>, E. Filippi<sup>5</sup>, G. Rouault<sup>6</sup>, A. Rialan<sup>7</sup>, P. Castellant<sup>8</sup>, H. Le Breton<sup>1</sup>, <sup>1</sup>Département de Cardiologie et Maladies Vasculaires, CHU - Rennes - France, <sup>2</sup>Hospital of Lorient, Department of Cardiology - Lorient - France, <sup>3</sup>Service de Cardiologie - Saint Brieuc - France, <sup>4</sup>Polyclinic Saint Laurent - Rennes - France, <sup>5</sup>Hospital of Vannes, Department of Cardiology - Vannes - France, <sup>6</sup>Hospital of Quimper, Department of Cardiology - Quimper - France, <sup>7</sup>Hospital of Saint Malo, Department of Cardiology - Saint Malo - France, <sup>8</sup>University Hospital of Brest, Department of Cardiology - Brest - France

**Registre RICO (registre des infarctus de la Côte d'Or) :**

**P4826. Impact of admission hyperglycemia on one-year mortality in non-diabetic patients admitted for rescue PCI.**

A. Gudjoncik<sup>1</sup>, L. Lorgis<sup>1</sup>, J. Ravisy<sup>2</sup>, P. Buffet<sup>1</sup>, P. Brunel<sup>2</sup>, L. Janin-Manificat<sup>3</sup>, J.C. Beer<sup>1</sup>, D. Brunet<sup>2</sup>, M. Zeller<sup>4</sup>, Y. Cottin<sup>1</sup>, <sup>1</sup>University Hospital Center, Department of Cardiology - Dijon - France, <sup>2</sup>Clinic, Department of Cardiology - Fontaine les Dijon - France, <sup>3</sup>Hospital Center of Beaune, Department of Cardiology - Beaune - France, <sup>4</sup>University of Burgundy, LPPCM, UMR INSERM U866 - Dijon - France

**Registre CARDIO-ARSIF (cardiologie interventionnelle, ARS Ile de France)**

**P1271. Primary angioplasty in Nonagenarians.**

G. Helft<sup>1</sup>, J.L. Georges<sup>2</sup>, C. Caussin<sup>3</sup>, H. Benamer<sup>1</sup>, O. Varenne<sup>4</sup>, E. Teiger<sup>5</sup>, Y. Lambert<sup>2</sup>, B. Livarek<sup>2</sup>, X. Mouranche<sup>6</sup>, S. Bataille<sup>6</sup>, <sup>1</sup>Institut de Cardiologie - Paris - France, <sup>2</sup>HOPITAL - VERSAILLES - France, <sup>3</sup>CMC - LE PLESSIS ROBINSON - France, <sup>4</sup>AP-HP - Hospital Cochin, Department of Cardiology - Paris - France, <sup>5</sup>AP-HP - University Hospital Henri Mondor, Department of Cardiology - Creteil - France, <sup>6</sup>AP-HP - Hospital Saint-Antoine, Faculty of Medicine Pierre & Marie Curie Paris 6 - Paris - France